3 samples supplied by Lismore City Council on 7/02/2023. Lab Job No. N7141.

Exposure Period: 09/01/23 - 06/02/23

Samples submitted by Riccardo Martinez. Your Job: Blakebrook Quarry.

PO Box 23a LISMORE NSW 2480

						Deposit rate of Insoluble Solids			Deposit	rate of:	
Sample	EAL	Sample	Diameter	Sampling	Sample	Deposit rate of Insoluble Solids		Ash **	Combustible	Soluble	Total
Site	Code	Comments	of Funnel	Days	Volume	Total Suspende	Total Suspended Solids (SSt)		Matter **	Matter **	Solids **
			(mm)	(days)	(L)	(g/m²/month) (mg/m²/day)		(g/m²/month)	(g/m²/month)	(g/m²/month)	(g/m²/month)
Method Reference						а	а	а	а	а	а
S23-0033-D1	N7141/1		150	28	1.480	0.7	24	0.4	0.4	0.6	1.4
S23-0033-D2	N7141/2	fine org. matter, cloudy	150	28	1.690	4.8	159	1.1	3.7	1.3	6.1
S23-0033-D3	N7141/3	fine org. matter, cloudy	150	28	1.900	0.7 24		0.2	0.5	1.2	1.9

METHODS REFERENCE:

a. Australian Standard AS 3580.10.1.8.2.2-2016 (1mm pre-sieving then using Whatman 42 Ashless filter)

NOTES:

- 1. .. No data/information
- 2. Total Suspended Solids = Mass deposition rate of insoluble solids
- 3. Per Month calculations incorporate 'Sampling Days' hence per Month actually refers to number of days sampled.
- 4. All services undertaken by EAL are covered by the EAL Laboratory Services Terms and Conditions (refer scu.edu.au/eal or on request).
- 5. Results relate only to the samples tested.
- 6. ** NATA accreditation does not cover the performance of this service.
- 7. This report was issued on 10/02/2023.



3 samples supplied by Lismore City Council on 7/03/2023. Lab Job No. N8309.

Exposure Period: 06/02/23 - 06/03/23

Samples submitted by Riccardo Martinez. Your Job: PO 84432.

PO Box 23a LISMORE NSW 2480

						Deposit rate of I	ncoluble Colide	Deposit rate of:				
Sample	EAL	Sample	Diameter	Sampling	Sample	Deposit rate of i	iisoluble Solius	Ash **	Combustible	Soluble	Total	
Site	Code	Comments	of Funnel	Days	Volume	Total Suspende	ed Solids (SSt)		Matter **	Matter **	Solids **	
			(mm)	(days)	(L)	(g/m²/month) (mg/m²/day)		(g/m²/month)	(g/m²/month)	(g/m²/month)	(g/m²/month)	
Method Reference						а	а	а	а	а	а	
S23-0045-D1	N8309/1	fine org. matter	150	28	1.36	0.9	29	0.7	0.2	1.9	2.8	
S22-0045-D2	N8309/2	fine org. matter	150	28	2.02	1.1	35	0.9	0.2	1.0	2.0	
S22-0045-D3	N8309/3	fine org. matter	150	28	2.13	3.9	131	3.2	0.8	3.1	7.1	

METHODS REFERENCE:

a. Australian Standard AS 3580.10.1.8.2.2-2016 (1mm pre-sieving then using Whatman 42 Ashless filter)

NOTES:

- 1. .. No data/ information
- 2. Total Suspended Solids = Mass deposition rate of insoluble solids
- 3. Per Month calculations incorporate 'Sampling Days' hence per Month actually refers to number of days sampled.
- 4. All services undertaken by EAL are covered by the EAL Laboratory Services Terms and Conditions (refer scu.edu.au/eal or on request).
- 5. Results relate only to the samples tested.
- 6. ** NATA accreditation does not cover the performance of this service.
- 7. This report was issued on 15/03/2023.



3 samples supplied by Lismore City Council on 3/04/2023. Lab Job No. N9349.

Exposure Period: 06/03/23 - 03/04/23

Samples submitted by Riccardo Martinez. Your Job: PO: 84432.

PO Box 23a LISMORE NSW 2480

						Deposit rate of Insoluble Solids			Deposit	rate of:	
Sample	EAL	Sample	Diameter	Sampling	Sample	Deposit rate of Insoluble Solids		Ash **	Combustible	Soluble	Total
Site	Code	Comments	of Funnel	Days	Volume	Total Suspended Solids (SSt)			Matter **	Matter **	Solids **
			(mm)	(days)	(L)	(g/m²/month) (mg/m²/day)		(g/m²/month)	(g/m²/month)	(g/m²/month)	(g/m²/month)
Method Reference						а	а	а	а	а	а
S23-0067-D1	N9349/1		150	28	1.100	0.7	22	0.3	0.3	0.6	1.2
323-0007-01	119349/1		150	20	1.100	0.7	22	0.3	0.3	0.6	1.2
S22-0067-D2	N9349/2		150	28	1.050	0.8	27	0.3	0.5	0.7	1.5
S22-0067-D3	N9349/3	fine org. matter, brown	150	28	0.840	4.8	160	1.8	3.0	6.4	11.2

METHODS REFERENCE:

a. Australian Standard AS 3580.10.1.8.2.2-2016 (1mm pre-sieving then using Whatman 42 Ashless filter)

NOTES:

- 1. .. No data/information
- 2. Total Suspended Solids = Mass deposition rate of insoluble solids
- 3. Per Month calculations incorporate 'Sampling Days' hence per Month actually refers to number of days sampled.
- 4. All services undertaken by EAL are covered by the EAL Laboratory Services Terms and Conditions (refer scu.edu.au/eal or on request).
- 5. Results relate only to the samples tested.
- 6. ** NATA accreditation does not cover the performance of this service.
- 7. This report was issued on 17/04/2023.



3 samples supplied by Lismore City Council on 2/05/2023. Lab Job No. P0233.

Exposure Period: 03/04/23 - 01/05/23

Samples submitted by Riccardo Martinez. Your Job: PO 84432.

PO Box 23a LISMORE NSW 2480

					Deposit rate of I	ncoluble Colide	Deposit rate of:				
Sample	EAL	Sample	Diameter	Sampling	Sample	Deposit rate of Insoluble Solids		Ash **	Combustible	Soluble	Total
Site	Code	Comments	of Funnel	Days	Volume	Total Suspende	Total Suspended Solids (SSt)		Matter **	Matter **	Solids **
			(mm)	(days)	(L)	(g/m²/month) (mg/m²/day)		(g/m²/month)	(g/m²/month)	(g/m²/month)	(g/m²/month)
Method Reference						а	а	а	а	а	а
S23-0095-D1	P0233/1	org. matter	150	28	1.500	0.6	21	0.6	0.0	1.4	2.0
S22-0095-D2	P0233/2	org. matter	150	28	1.500	0.2	7	0.2	0.0	1.5	1.7
S22-0095-D3	P0233/3	org. matter, cloudy	150	28	1.570	2.5 82		1.5	1.0	8.1	10.6

METHODS REFERENCE:

a. Australian Standard AS 3580.10.1.8.2.2-2016 (1mm pre-sieving then using Whatman 42 Ashless filter)

NOTES:

- 1. .. No data/ information
- 2. Total Suspended Solids = Mass deposition rate of insoluble solids
- 3. Per Month calculations incorporate 'Sampling Days' hence per Month actually refers to number of days sampled.
- 4. All services undertaken by EAL are covered by the EAL Laboratory Services Terms and Conditions (refer scu.edu.au/eal or on request).
- 5. Results relate only to the samples tested.
- 6. ** NATA accreditation does not cover the performance of this service.
- 7. This report was issued on 8/05/2023.



3 samples supplied by Lismore City Council on 31/05/2023. Lab Job No. P1336.

Exposure Period: 01/05/2023 - 29/05/2023

Samples submitted by Riccardo Martinez. Your Job: PO 84432 Blakebrook Quarry.

PO Box 23a LISMORE NSW 2480

						Deposit rate of Insoluble Solids			Deposit	rate of:	
Sample	EAL	Sample	Diameter	Sampling	Sample	Deposit rate of Insoluble Solids		Ash **	Combustible	Soluble	Total
Site	Code	Comments	of Funnel	Days	Volume	Total Suspende	Total Suspended Solids (SSt)		Matter **	Matter **	Solids **
			(mm)	(days)	(L)	(g/m²/month) (mg/m²/day)		(g/m²/month)	(g/m²/month)	(g/m²/month)	(g/m²/month)
Method Reference						а	а	а	а	а	а
S23-0125-D1	P1336/1		150	28	1.880	0.3	10	0.2	0.1	0.4	0.7
S22-0125-D2	P1336/2	cloudy	150	28	1.750	0.5	15	0.3	0.2	0.5	1.0
S22-0125-D3	P1336/3	cloudy, yellow	150	28	1.610	2.8 92		0.8	2.0	1.5	4.3

METHODS REFERENCE:

a. Australian Standard AS 3580.10.1.8.2.2-2016 (1mm pre-sieving then using Whatman 42 Ashless filter)

NOTES:

- 1. .. No data/information
- 2. Total Suspended Solids = Mass deposition rate of insoluble solids
- 3. Per Month calculations incorporate 'Sampling Days' hence per Month actually refers to number of days sampled.
- 4. All services undertaken by EAL are covered by the EAL Laboratory Services Terms and Conditions (refer scu.edu.au/eal or on request).
- 5. Results relate only to the samples tested.
- 6. ** NATA accreditation does not cover the performance of this service.
- 7. This report was issued on 7/06/2023.



3 samples supplied by Lismore City Council on 28/06/2023. Lab Job No. P2402.

Exposure Period: 29/05/2023 - 26/06/2023

Samples submitted by Riccardo Martinez. Your Job: Blakebrook Quarry PO 84432 Dust.

PO Box 23a LISMORE NSW 2480

						Deposit rate of I	nsoluble Solids		Deposit	rate of:	
Sample	EAL Sample		Diameter	Sampling	Sample	Deposit rate or i	insoluble Solids	Ash **	Combustible	Soluble	Total
Site	Code	Comments	of Funnel	Days	Volume	Total Suspended Solids (SSt)			Matter **	Matter **	Solids **
			(mm)	(days)	(L)	(g/m²/month)	(mg/m²/day)	(g/m²/month)	(g/m²/month)	(g/m²/month)	(g/m²/month)
Method Reference						а	а	а	а	а	а
S23-0125-D1	P2402/1	wasp, algae, fine org. matter	150	28	0.240	0.3	11	0.1	0.3	2.2	2.5
S23-0125-D2	P2402/2	bugs	150	28	0.260	0.3	11	0.0	0.3	2.3	2.6
S23-0125-D3	P2402/3	fine org. matter	150	28	0.100	0.4	15	0.1	0.3	1.8	2.2

METHODS REFERENCE:

a. Australian Standard AS 3580.10.1.8.2.2-2016 (1mm pre-sieving then using Whatman 42 Ashless filter)

NOTES:

- 1. .. No data/ information
- 2. Total Suspended Solids = Mass deposition rate of insoluble solids
- 3. Per Month calculations incorporate 'Sampling Days' hence per Month actually refers to number of days sampled.
- 4. All services undertaken by EAL are covered by the EAL Laboratory Services Terms and Conditions (refer scu.edu.au/eal or on request).
- 5. Results relate only to the samples tested.
- 6. ** NATA accreditation does not cover the performance of this service.
- 7. This report was issued on 10/07/2023.



3 samples supplied by Lismore City Council on 25/07/2023. Lab Job No. P3389.

Exposure Period 26/06/2023 - 24/07/2023

Samples submitted by Riccardo Martinez. Your Job: PO 84432 - Blakebrook Quarry.

PO Box 23a LISMORE NSW 2480

						Deposit rate of Insoluble Solids		Deposit rate of:					
Sample	EAL	Sample	Diameter	Sampling	Sample	Deposit rate of i	iisoluble Solius	Ash **	Combustible	Soluble	Total		
Site	Code	Comments	of Funnel	Days	Volume	Total Suspende	ed Solids (SSt)		Matter **	Matter **	Solids **		
			(mm)	(days)	(L)	(g/m²/month) (mg/m²/day)		(g/m²/month)	(g/m²/month)	(g/m²/month)	(g/m²/month)		
Method Reference						а	а	а	а	а	а		
S23-0159-D1	P3389/1	algae, bug, org. matter	150	28	0.240	0.3	11	0.2	0.2	0.2	0.5		
				-				_	_	_			
S22-0159-D2	P3389/2	org. matter	150	28	0.310	0.2	6	0.1	0.1	0.0	0.2		
S22-0159-D3	P3389/3	fine org. matter, cloudy	150	28	0.310	1.2	42	0.7	0.5	1.0	2.2		

METHODS REFERENCE:

a. Australian Standard AS 3580.10.1.8.2.2-2016 (1mm pre-sieving then using Whatman 42 Ashless filter)

NOTES:

- 1. .. No data/ information
- 2. Total Suspended Solids = Mass deposition rate of insoluble solids
- 3. Per Month calculations incorporate 'Sampling Days' hence per Month actually refers to number of days sampled.
- 4. All services undertaken by EAL are covered by the EAL Laboratory Services Terms and Conditions (refer scu.edu.au/eal or on request).
- 5. Results relate only to the samples tested.
- 6. ** NATA accreditation does not cover the performance of this service.
- 7. This report was issued on 28/07/2023.



3 samples supplied by Lismore City Council on 22/08/2023. Lab Job No. P4399.

Exposure Period: 24/07/2023 - 21/08/2023

Samples submitted by Riccardo Martinez. Your Job: PO 101120 - TP 23/112 - Air Sampling Blakebrook FY.

PO Box 23a LISMORE NSW 2480

						Donasit rate of	Incolubio Colido		Deposit	rate of:	
Sample	EAL	Sample	Diameter	Sampling	Sample	Deposit rate of Insoluble Solids		Ash **	Combustible	Soluble	Total
Site	Code	Comments	of Funnel	Days	Volume	Total Suspende	Total Suspended Solids (SSt)		Matter **	Matter **	Solids **
			(mm)	(days)	(L)	(g/m²/month) (mg/m²/day)		(g/m²/month)	(g/m²/month)	(g/m²/month)	(g/m²/month)
Method Reference						а	а	а	а	а	а
S23-0194-D1	P4399/1	fine org. matter, cloudy	150	28	0.310	0.8	26	0.6	0.2	0.5	1.3
S22-0194-D2	P4399/2	dead bug	150	28	0.280	0.1	4	0.1	0.0	0.3	0.4
S22-0194-D3	P4399/3	blade of grass, cloudy, yellow	150	28	0.120	1.2	39	0.7	0.4	0.8	2.0

METHODS REFERENCE:

a. Australian Standard AS 3580.10.1.8.2.2-2016 (1mm pre-sieving then using Whatman 42 Ashless filter)

NOTES:

- 1. .. No data/information
- 2. Total Suspended Solids = Mass deposition rate of insoluble solids
- 3. Per Month calculations incorporate 'Sampling Days' hence per Month actually refers to number of days sampled.
- 4. All services undertaken by EAL are covered by the EAL Laboratory Services Terms and Conditions (refer scu.edu.au/eal or on request).
- 5. Results relate only to the samples tested.
- 6. ** NATA accreditation does not cover the performance of this service.
- 7. This report was re-issued on 29/08/2023 and replaces the report issued on 29/08/2023. Sample site ID's corrected.



Accreditation No. 14960 Accredited for compliance with ISO/IEC 17025 - Testing

3 samples supplied by Lismore City Council on 18/09/2023. Lab Job No. P5386.

Exposure Period: 21/08/23 - 18/09/23

Samples submitted by Riccardo Martinez. Your Job: PO 101120 - TP 23/112 - Air Sampling Blakebrook FY.

PO Box 23a LISMORE NSW 2480

						Deposit rate of Insoluble Solids			Deposit	rate of:	
Sample	EAL	Sample	Diameter	Sampling	Sample	Deposit rate of	insoluble Solids	Ash **	Combustible	Soluble	Total
Site	Code	Comments	of Funnel	Days	Volume	Total Suspende	ed Solids (SSt)		Matter **	Matter **	Solids **
			(mm)	(days)	(L)	(g/m²/month) (mg/m²/day)		(g/m²/month)	(g/m²/month)	(g/m²/month)	(g/m²/month)
Method Reference						а	а	а	а	а	а
S23-0204-D1	P5386/1	spider, fine org. matter	150	28	0.260	0.4	12	0.2	0.2	1.8	2.1
S23-0204-D2	P5386/2	ants, fine org. matter	150	28	0.380	0.3	10	0.2	0.1	0.2	0.5
S23-0204-D3	P5386/3	ants, algae, fine org. matter, cloudy, yellow	150	28	0.360	2.6	86	1.2	1.4	4.9	7.5

METHODS REFERENCE:

a. Australian Standard AS 3580.10.1.8.2.2-2016 (1mm pre-sieving then using Whatman 42 Ashless filter)

NOTES:

- 1. .. No data/ information
- 2. Total Suspended Solids = Mass deposition rate of insoluble solids
- 3. Per Month calculations incorporate 'Sampling Days' hence per Month actually refers to number of days sampled.
- 4. All services undertaken by EAL are covered by the EAL Laboratory Services Terms and Conditions (refer scu.edu.au/eal or on request).
- 5. Results relate only to the samples tested.
- 6. ** NATA accreditation does not cover the performance of this service.
- 7. This report was issued on 22/09/2023.



3 samples supplied by Lismore City Council on 17/10/2023. Lab Job No. P6443.

Exposure Period 18/09/2023 - 16/10/2023

Samples submitted by Riccardo Martinez. Your Job: PO 84432 -Air Sampling Blakebrook FY23.

PO Box 23a LISMORE NSW 2480

						Demonit note of l	landiuble Calida		Deposit	rate of:	
Sample	EAL	Sample	Diameter	Sampling	Sample	Deposit rate of Insoluble Solids		Ash **	Combustible	Soluble	Total
Site	Code	Comments	of Funnel	Days	Volume	Total Suspende	ed Solids (SSt)		Matter **	Matter **	Solids **
			(mm)	(days)	(L)	(g/m²/month) (mg/m²/day)		(g/m²/month)	(g/m²/month)	(g/m²/month)	(g/m²/month)
Method Reference						а	а	а	а	а	а
S23-0223-D1	P6443/1	fine org. matter	150	28	0.180	0.7	23	0.6	0.1	0.2	0.9
S23-0223-D2	P6443/2	fine org. matter	150	28	0.290	0.8	26	0.4	0.3	0.7	1.5
S23-0223-D3	P6443/3	algae, fine org. matter, cloudy, yellow	150	28	0.220	20.7 689		10.3	10.4	6.2	26.8

METHODS REFERENCE:

a. Australian Standard AS 3580.10.1.8.2.2-2016 (1mm pre-sieving then using Whatman 42 Ashless filter)

NOTES:

- 1. .. No data/information
- 2. Total Suspended Solids = Mass deposition rate of insoluble solids
- 3. Per Month calculations incorporate 'Sampling Days' hence per Month actually refers to number of days sampled.
- 4. All services undertaken by EAL are covered by the EAL Laboratory Services Terms and Conditions (refer scu.edu.au/eal or on request).
- 5. Results relate only to the samples tested.
- 6. ** NATA accreditation does not cover the performance of this service.
- 7. This report was issued on 26/10/2023.



3 samples supplied by Lismore City Council on 14/11/2023. Lab Job No. P7535.

Exposure Period: 16/10/2023 - 13/11/2023

Samples submitted by Riccardo Martinez. Your Job: PO 101120-TP 23/112 -Air Sampling Blakebrook FY 23.

PO Box 23a LISMORE NSW 2480

						Danasit rate of	Incolubio Solide		Deposit	rate of:	
Sample	EAL	Sample	Diameter	Sampling	Sample	Deposit rate of Insoluble Solids —		Ash **	Combustible	Soluble	Total
Site	Code	Comments	of Funnel	Days	Volume	Total Suspend	Total Suspended Solids (SSt)		Matter **	Matter **	Solids **
			(mm)	(days)	(L)	(g/m²/month) (mg/m²/day)		(g/m²/month)	(g/m²/month)	(g/m²/month)	(g/m ² /month)
Method Reference						а	а	а	а	а	а
S23 - 0253 - D1	P7535/1	org. matter	150	28	2.400	0.9	30	0.7	0.2	1.8	2.7
S23 - 0253 - D2	P7535/2	org. matter	150	28	2.240	0.4	15	0.3	0.2	2.0	2.5
S23 - 0253 - D3	P7535/3	large org. matter, cloudy, brown	150	28	2.110	5.2	174	1.6	3.6	25.8	31.0

METHODS REFERENCE:

a. Australian Standard AS 3580.10.1.8.2.2-2016 (1mm pre-sieving then using Whatman 42 Ashless filter)

NOTES:

- 1. .. No data/information
- 2. Total Suspended Solids = Mass deposition rate of insoluble solids
- 3. Per Month calculations incorporate 'Sampling Days' hence per Month actually refers to number of days sampled.
- 4. All services undertaken by EAL are covered by the EAL Laboratory Services Terms and Conditions (refer scu.edu.au/eal or on request).
- 5. Results relate only to the samples tested.
- 6. ** NATA accreditation does not cover the performance of this service.
- 7. This report was issued on 17/11/2023.



3 samples supplied by Lismore City Council on 11/12/2023. Lab Job No. P8545.

Exposure Period: 13/11/23 - 11/12/23

Samples submitted by Riccardo Martinez. Your Job: PO 101120-TP 23/112 -Air Sampling Blakebrook FY 23.

PO Box 23a LISMORE NSW 2480

						Deposit rate of Insoluble Solids —			Deposit	rate of:	
Sample	EAL	Sample	Diameter	Sampling	Sample	Deposit rate of Insoluble Solids		Ash **	Combustible	Soluble	Total
Site	Code	Comments	of Funnel	Days	Volume	Total Suspended Solids (SSt)			Matter **	Matter **	Solids **
			(mm)	(days)	(L)	(g/m²/month) (mg/m²/day)		(g/m²/month)	(g/m²/month)	(g/m²/month)	(g/m²/month)
Method Reference						а	а	а	а	а	а
S23-0271-D1	P8545/1	fine org. matter	150	28	0.950	0.5	17	0.2	0.3	0.6	1.2
		9		-				_			
S23-0271-D2	P8545/2	fine org. matter	150	28	0.970	0.7	24	0.1	0.6	0.8	1.5
S23-0271-D3	P8545/3	fine org. matter, cloudy, vellow	150	28	0.970	4.3 142		1.5	2.8	6.2	10.5

METHODS REFERENCE:

a. Australian Standard AS 3580.10.1.8.2.2-2016 (1mm pre-sieving then using Whatman 42 Ashless filter)

NOTES:

- 1. .. No data/information
- 2. Total Suspended Solids = Mass deposition rate of insoluble solids
- 3. Per Month calculations incorporate 'Sampling Days' hence per Month actually refers to number of days sampled.
- 4. All services undertaken by EAL are covered by the EAL Laboratory Services Terms and Conditions (refer scu.edu.au/eal or on request).
- 5. Results relate only to the samples tested.
- 6. ** NATA accreditation does not cover the performance of this service.
- 7. This report was issued on 18/12/2023.



Accreditation No. 14960
Accredited for compliance
with ISO/IEC 17025 - Testing

3 samples supplied by Lismore City Council on 8/01/2024. Lab Job No. P9232.

Exposure Period: 11/12/23 - 08/01/24

Samples submitted by Riccardo Martinez. Your Job: PO 101120-TP 23/112 -Air Sampling Blakebrook FY 23.

PO Box 23a LISMORE NSW 2480

	EAL	Sample Comments	Diameter of Funnel	Sampling Days	Sample Volume	Deposit rate of Insoluble Solids Total Suspended Solids (SSt)		Deposit rate of:			
Sample								Ash **	Combustible Matter **	Soluble Matter **	Total Solids **
Site	Code										
			(mm)	(days)	(L)	(g/m²/month)	(mg/m²/day)	(g/m²/month)	(g/m²/month)	(g/m²/month)	(g/m²/month)
Method Reference						а	а	а	а	а	а
S24-0003-D1	P9232/1	large org. matter	150	28	3.570	1.4	46	1.0	0.4	2.2	3.6
S24-0003-D2	P9232/2	fine org. matter	150	28	3.100	1.0	35	0.8	0.2	1.8	2.9
S24-0003-D3	P9232/3	wasp, fine org. matter, cloudy	150	28	2.890	14.5	484	9.3	5.3	5.4	20.0

METHODS REFERENCE:

 $a. \ Australian \ Standard \ AS\ 3580.10.1.8.2.2-2016\ (1mm\ pre-sieving\ then\ using\ Whatman\ 42\ Ashless\ filter)$

NOTES:

- 1. .. No data/ information
- 2. Total Suspended Solids = Mass deposition rate of insoluble solids
- 3. Per Month calculations incorporate 'Sampling Days' hence per Month actually refers to number of days sampled.
- 4. All services undertaken by EAL are covered by the EAL Laboratory Services Terms and Conditions (refer scu.edu.au/eal or on request).
- 5. Results relate only to the samples tested.
- 6. ** NATA accreditation does not cover the performance of this service.
- 7. This report was issued on 16/01/2024.

